Please answer all questions as they relate to your child, tick **one** box per Question

| | YES (1) | NO (0) | Don't Know |
|---|---------|-----------|---------------|
| While sleeping does your child | | | |
| Snore more than half the time? | | | |
| Always snore? | | | |
| Snore loudly? | | | |
| Have "heavy" or loud breathing? | | | |
| Have trouble breathing or struggle to breathe? | | | |
| Have you ever | | | |
| Seen your child stop breathing during the night? | | | |
| Does your child | | | |
| Tend to breathe through the mouth during the day? | | | |
| Have a dry mouth on waking up in the morning? | | | |
| Occasionally wet the bed? | | | |
| Wake up feeling un-refreshed in the morning? | | | |
| Have a problem with sleepiness during the day? | | | |
| Has a teacher or other supervisor commented that your child appears | | | |
| sleep during the day? | | | |
| Is it hard to wake your child up in the morning? | V | | |
| Does your child wake up with headaches in the morning? | | | |
| Did your child stop growing at a normal rate at any time since birth? | | | |
| Is your child overweight? | | | |
| This child often | | | |
| Does not seem to listen when spoken to directly | | | |
| Has difficulty organising tasks | | | |
| Is easily distracted by extraneous stimuli | | | |
| Fidgets with hands or feet or squirms in seat | | | |
| Is "on the go" or often acts as if "driven by a motor" | | | |
| Interrupts or intrudes on others | | | |
| (e.g. butts into conversations or games) | | | |

Total = Number Questions Answered 'Yes' Total Number Questions Answered (Yes+No)

Interpretation

- Normal / low risk: <0.33 (fewer than one-third of items marked "yes").
- Abnormal / high risk: ≥0.33
 - This cut-off has been shown to predict moderate-severe OSA on polysomnography in validation studies.

Clinical Notes

- A PSQ score ≥0.33 has reported sensitivity of ~0.8 and specificity of ~0.7 for moderate-severe OSA.
- It is a **screening tool**, not diagnostic, but is especially useful in contexts where PSG access is limited.
- The PSQ is sometimes supplemented with behavioural and quality-of-life measures (since it captures ADHD-like symptoms that can be OSA-related).

